



Itron Water Meter Menu with Options

Severn Trent Water

Contents

		Page
Foreword		2
15mm Aquadis+ with option Meters	Threaded Manifold	3
15mm Aquadis+ with option Meters	Threaded Inline	3
20mm Aquadis+ with option Meters	Threaded Inline	4
25mm Aquadis+ with option Meters	Threaded Inline	4
30mm Aquadis+ with option Meters	Threaded Inline	5
40mm Flostar M with option Meters	Threaded Inline	6
50mm Flostar M with option Meters	Threaded Inline	6
50mm Flostar M with option Meters	Flanged	7
65mm Flostar M with option Meters	Flanged	7
65- 80mm Flostar M with option Meters	Flanged	8
80mm Flostar M with option Meters	Flanged	8
100mm Flostar M with option Meters	Flanged	9
150mm Flostar M with option Meters	Flanged	9
50mm Woltex M with option Meters	Flanged	10
65mm Woltex M with option Meters	Flanged	10
80mm Woltex M with option Meters	Flanged	11
100mm Woltex M with option Meters	Flanged	11
125mm Woltex M with option Meters	Flanged	12
150mm Woltex M with option Meters	Flanged	12
200mm Woltex G with option Meters	Flanged	13
250mm Woltex G with option Meters	Flanged	13
Cyble Sensors		14
Unions		14
Woltex M Mechanisms		14
Filters		14
Straghtners		15
Washers		15
Signal Repeater/Splitter		15

Foreword

This is a list of the most common products Itron have -

METERS - Aquadis+ Flostar M Woltex M

Additional parts i.e. Filters to help with meter instalations and communication products to fit all our meters. ** For any meters


or parts not on your price list please contact your Account Manager who will be pleased to help you.

Meter Size 15mm

Aquadis+**

Description	Type	Meter Specification	
Composite P1M Aquadis+ Part Number AQP15MSTVMQBR315	Manifold	Meter Thread Size Flow ratio (Q3/Q1) Flow Rate Q1 Flow Rate Q2 Flow Rate Q3 Flow Rate Q4 Index Dials Black+Red Meter Material Output Pulse K1 Cyble Sensor Meter WRAS Approved Meter WIS Approved (for contaminated land) Mid Compliant	G 1 1/2" 315 7.9 l/h 12.7 l/h 2.5 m3/h 3.125 m3/h 5+3 Composite 1 Ltr/P Yes Yes Yes


Options		Part Number	
Meter + EverBlu RF Enhanced	A	AQP15MSVMQB315EB	Factory Fitted
EverBlu RF Enhanced	B	TRCIBNEBX10	
Cyble Sensor K1	C	T3CIB2K0001	
M-Bus Module	D	TRCIBMBUSAOX10	

Description	Type	Meter Specification	
Composite P1 Aquadis+ Part Number AQP15134CVMQB315 	Inline	Meter Thread Size Flow ratio (Q3/Q1) Flow Rate Q1 Flow Rate Q2 Flow Rate Q3 Flow Rate Q4 Index Dials Black+Red Meter Material Output Pulse K1 Cyble Sensor Meter WRAS Approved Meter WIS Approved (for contaminated land) Mid Compliant	G 3/4" 315 7.9 l/h 12.7 l/h 2.5 m3/h 3.125 m3/h 5+3 Composite 1 Ltr/P Yes Yes Yes

Options		Part Number	
Meter + EverBlu RF Enhanced	A	AQ15134CB315VMUKEB	Factory Fitted
EverBlu RF Enhanced	B	TRCIBNEBX10	
Cyble Sensor K1	C	T3CIB2K0001	
M-Bus Module	D	TRCIBMBUSAOX10	

Meter Size 20mm


Aquadis+**

Description	Type	Meter Specification	
Brass P50 Aquadis+ Part Number AQ20VMQCR160 	Inline	Meter Thread Size	G 1"
		Flow ratio (Q3/Q1)	160
		Flow Rate Q1	25 l/h
		Flow Rate Q2	40 l/h
		Flow Rate Q3	4.00 m3/h
		Flow Rate Q4	5.00 m3/h
		Index Dials Black+Red	5+3
		Meter Material	Brass
		Output Pulse K1 Cyble Sensor	1 Ltr/P
		Meter WRAS Approved	Yes
		Mid Compliant	Yes

Options	Part Number		
Meter + EverBlu RF Enhanced	A	AQ20VMQCR160UKNEB	Factory Fitted
EverBlu RF Enhanced	B	TRCIBNEBX10	
Cyble Sensor K1	C	T3CIB2K0001	
M-Bus Module	D	TRCIBMBUSAOX10	

Meter Size 25mm


Aquadis+**

Description	Type	Meter Specification	
Brass P111 Aquadis+ Part Number AQ25DMTVM 	Inline	Meter Thread Size	G 1 1/4"
		Flow ratio (Q3/Q1)	315
		Flow Rate Q1	39 l/h
		Flow Rate Q2	63 l/h
		Flow Rate Q3	6.3 m3/h
		Flow Rate Q4	7.9
		Index Dials Black+Red	5+3
		Meter Material	Brass
		Output Pulse K1 Cyble Sensor	1 Ltr/P
		Meter WRAS Approved	Yes
		Mid Compliant	Yes

Options	Part Number		
Meter + EverBlu RF Enhanced	A	AQ025DM260_C0_UK	Factory Fitted
EverBlu RF Enhanced	B	TRCIBNEBX10	
Cyble Sensor K1	C	T3CIB2K0001	
M-Bus Module	D	TRCIBMBUSAOX10	

Meter Size 30mm


Aquadis+**

Description	Type	Meter Specification	
Brass P110 Aquadis+ Part Number AQ30DKTVMUK 	Inline	Meter Thread Size	G 1 1/2"
		Flow ratio (Q3/Q1)	315
		Flow Rate Q1	39 l/h
		Flow Rate Q2	63 l/h
		Flow Rate Q3	6.3 m3/h
		Flow Rate Q4	7.9
		Index Dials Black+Red	5+3
		Meter Material	Brass
		Output Pulse K1 Cyble Sensor	1 Ltr/P
		Meter WRAS Approved	Yes
Mid Compliant	Yes		

Options	Part Number		
Meter + EverBlu RF Enhanced	A	AQ030DM260_CO_UK	Factory Fitted
EverBlu RF Enhanced	B	TRCIBNEBX10	
Cyble Sensor K1	C	T3CIB2K0001	
M-Bus Module	D	TRCIBMBUSAOX10	

Meter Size 40mm


Aquadis+**

Description	Type	Meter Specification	
Brass P290 Aquadis+ Part Number AQ40FM 	Inline	Meter Thread Size	G 2"
		Flow ratio (Q3/Q1)	315
		Flow Rate Q1	100 l/h
		Flow Rate Q2	160 l/h
		Flow Rate Q3	16 m3/h
		Flow Rate Q4	20 m3/h
		Index Dials Black+Red	5+3
		Meter Material	Brass
		Output Pulse K1 Cyble Sensor	1 Ltr/P
		Meter WRAS Approved	Yes
Mid Compliant	Yes		

Options	Part Number		
Meter + EverBlu RF Enhanced	A	AQ40FMEBUK	Factory Fitted
EverBlu RF Enhanced	B	TRCIBNEBX10	
Cyble Sensor K1	C	T3CIB2K0001	
M-Bus Module	D	TRCIBMBUSAOX10	

Meter Size 40mm


Flostar M**

Description	Type	Meter Specification	
Brass Flostar M Part Number FLO40FM300_00_UK 	Inline	Meter Thread Size	G 1 1/2"
		Flow ratio (Q3/Q1)	200
		Flow Rate Q1	100 l/h
		Flow Rate Q2	160 l/h
		Flow Rate Q3	16 m3/h
		Flow Rate Q4	20 m3/h
		Index Dials Black+Red	5+3
		Meter Material	Brass
		Output Pulse K1 Cyble Sensor	1 Ltr/P
		Meter WRAS Approved	Yes
Mid Compliant	Yes		

Options	Part Number		
Meter + EverBlu RF Enhanced	A	FLO40FM300_C0_UK	Factory Fitted
EverBlu RF Enhanced	B	TRCIBNEBX10	
Cyble Sensor K1	C	T3CIB2K0001	
M-Bus Module	D	TRCIBMBUSAOX10	

Meter Size 50mm


Flostar M**

Description	Type	Meter Specification	
Brass Flostar M Part Number #REF! 	Inline	Meter Thread Size	G 2"
		Flow ratio (Q3/Q1)	250
		Flow Rate Q1	79 l/h
		Flow Rate Q2	127 l/h
		Flow Rate Q3	25 m3/h
		Flow Rate Q4	31.25 m3/h
		Index Dials Black+Red	6+2
		Meter Material	Brass
		Output Pulse K1 Cyble Sensor	10 Ltr/P
		Meter WRAS Approved	Yes
Mid Compliant	Yes		

Options	Part Number		
Meter + EverBlu RF Enhanced	A	#REF!	Factory Fitted
EverBlu RF Enhanced	B	TRCIBNEBX10	
Cyble Sensor K1	C	T3CIB2K0001	
M-Bus Module	D	TRCIBMBUSAOX10	

Meter Size 50mm


Flostar M**

Description	Type	Meter Specification	
Brass Flostar M Part Number FL505GO300_00_UK 	Flanged	Flanged	PN16 300mm
		Flow ratio (Q3/Q1)	250
		Flow Rate Q1	79 l/h
		Flow Rate Q2	127 l/h
		Flow Rate Q3	25 m3/h
		Flow Rate Q4	31.25 m3/h
		Index Dials Black+Red	6+2
		Meter Material	Brass
		Output Pulse K1 Cyble Sensor	10 Ltr/P
		Meter WRAS Approved	Yes
Mid Compliant	Yes		

Options	Part Number		
Meter + EverBlu RF Enhanced	A	FL505GO300_CO_UK	Factory Fitted
EverBlu RF Enhanced	B	TRCIBNEBX10	
Cyble Sensor K1	C	T3CIB2K0001	
M-Bus Module	D	TRCIBMBUSAOX10	

Meter Size 65mm


Flostar M**

Description	Type	Meter Specification	
Brass Flostar M Part Number FL065HP300_00_UK 	Flanged	Flanged	PN16 300mm
		Flow ratio (Q3/Q1)	315
		Flow Rate Q1	100 l/h
		Flow Rate Q2	160 l/h
		Flow Rate Q3	40 m3/h
		Flow Rate Q4	50 m3/h
		Index Dials Black+Red	6+2
		Meter Material	Brass
		Output Pulse K1 Cyble Sensor	10 Ltr/P
		Meter WRAS Approved	Yes
Mid Compliant	Yes		

Options	Part Number		
Meter + EverBlu RF Enhanced	A	FL065HP300_CO_UK	Factory Fitted
EverBlu RF Enhanced	B	TRCIBNEBX10	
Cyble Sensor K1	C	T3CIB2K0001	
M-Bus Module	D	TRCIBMBUSAOX10	

Meter Size 65-80mm


Flostar M**

Description	Type	Meter Specification	
Brass Flostar M Part Number FL658HP300_00_UK 	Flanged	Flanged 65 - 80mm	PN16 300mm
		Flow ratio (Q3/Q1)	315
		Flow Rate Q1	100 l/h
		Flow Rate Q2	160 l/h
		Flow Rate Q3	40 m3/h
		Flow Rate Q4	50 m3/h
		Index Dials Black+Red	6+2
		Meter Material	Brass
		Output Pulse K1 Cyble Sensor	10 Ltr/P
		Meter WRAS Approved	Yes
		Mid Compliant	Yes

Options	Part Number		
Meter + EverBlu RF Enhanced	A		Factory Fitted
EverBlu RF Enhanced	B	TRCIBNEBX10	
Cyble Sensor K1	C	T3CIB2K0001	
M-Bus Module	D	TRCIBMBUSAOX10	

Meter Size 80mm


Flostar M**

Description	Type	Meter Specification	
Brass Flostar M Part Number #REF! 	Flanged	Flanged	PN16 350mm
		Flow ratio (Q3/Q1)	315
		Flow Rate Q1	157 l/h
		Flow Rate Q2	252 l/h
		Flow Rate Q3	63 m3/h
		Flow Rate Q4	78 m3/h
		Index Dials Black+Red	6+2
		Meter Material	Brass
		Output Pulse K1 Cyble Sensor	10 Ltr/P
		Meter WRAS Approved	Yes
		Mid Compliant	Yes

Options	Part Number		
Meter + EverBlu RF Enhanced	A	#REF!	Factory Fitted
EverBlu RF Enhanced	B	TRCIBNEBX10	
Cyble Sensor K1	C	T3CIB2K0001	
M-Bus Module	D	TRCIBMBUSAOX10	

Meter Size 100mm


Flostar M**

Description	Type	Meter Specification	
Brass Flostar M Part Number FL100JP350_00_UK 	Flanged	Flanged	PN16 350mm
		Flow ratio (Q3/Q1)	315
		Flow Rate Q1	250 l/h
		Flow Rate Q2	400 l/h
		Flow Rate Q3	100 m3/h
		Flow Rate Q4	125 m3/h
		Index Dials Black+Red	6+2
		Meter Material	Brass
		Output Pulse K1 Cyble Sensor	10 Ltr/P
		Meter WRAS Approved	Yes
		Mid Compliant	Yes

Options	Part Number		
Meter + EverBlu RF Enhanced	A	FL100JP350_CO_UK	Factory Fitted
EverBlu RF Enhanced	B	TRCIBNEBX10	
Cyble Sensor K1	C	T3CIB2K0001	
M-Bus Module	D	TRCIBMBUSAOX10	

Meter Size 150mm


Flostar M**

Description	Type	Meter Specification	
Brass Flostar M Part Number FL150KP450_00_UK 	Flanged	Flanged	PN16 350mm
		Flow ratio (Q3/Q1)	315
		Flow Rate Q1	254 l/h
		Flow Rate Q2	406 l/h
		Flow Rate Q3	160 m3/h
		Flow Rate Q4	200 m3/h
		Index Dials Black+Red	7+1
		Meter Material	Brass
		Output Pulse K1 Cyble Sensor	100 Ltr/P
		Meter WRAS Approved	Yes
		Mid Compliant	Yes

Options	Part Number		
Meter + EverBlu RF Enhanced	A		Factory Fitted
EverBlu RF Enhanced	B	TRCIBNEBX10	
Cyble Sensor K1	C	T3CIB2K0001	
M-Bus Module	D	TRCIBMBUSAOX10	

Meter Size 50mm


Woltex M**

Description	Type	Meter Specification	
Woltex M Part Number WEG50PP 	Flanged	Flanged Flow rating G Flow Rate Qmin Flow Rate Qt Flow Rate Qn Flow Rate Qmax Index Dials Black+Red Meter Material Output Pulse K1 Cyble Sensor Meter WRAS Approved Mid Compliant	PN16 200mm G 0.75 m3/h 5 m3/h 25 m3/h 50 m3/h 6+2 Cast Iron 10 Ltr/P Yes Yes

Options	Part Number		
Meter + EverBlu RF Enhanced	A		Factory Fitted
EverBlu RF Enhanced	B	TRCIBNEBX10	
Cyble Sensor K1	C	T3CIB2K0001	
M-Bus Module	D	TRCIBMBUSAOX10	

Meter Size 65mm


Woltex M**

Description	Type	Meter Specification	
Brass Flostar M Part Number WE065II200_01PP 	Flanged	Flanged Flow ratio (Q3/Q1) Flow Rate Q1 Flow Rate Q2 Flow Rate Q3 Flow Rate Q4 Index Dials Black+Red Meter Material Output Pulse K1 Cyble Sensor Meter WRAS Approved Mid Compliant	PN16 200mm 63 1.00 m3/h 1.60 m3/h 63 m3/h 79 m3/h 6+2 Cast Iron 10 Ltr/P Yes Yes

Options	Part Number		
Meter + EverBlu RF Enhanced	A		Factory Fitted
EverBlu RF Enhanced	B	TRCIBNEBX10	
Cyble Sensor K1	C	T3CIB2K0001	
M-Bus Module	D	TRCIBMBUSAOX10	

Meter Size 80mm


Woltex M**

Description	Type	Meter Specification	
Woltex M Part Number WEG88PP 	Flanged	Flanged Flow rating G Flow Rate Qmin Flow Rate Qt Flow Rate Qn Flow Rate Qmax Index Dials Black+Red Meter Material Output Pulse K1 Cyble Sensor Meter WRAS Approved Mid Compliant	PN16 200mm G 1.80 m3/h 12 m3/h 60 m3/h 120 m3/h 6+2 Cast Iron 10 Ltr/P Yes No

Options	Part Number		
Meter + EverBlu RF Enhanced	A		Factory Fitted
EverBlu RF Enhanced	B	TRCIBNEBX10	
Cyble Sensor K1	C	T3CIB2K0001	
M-Bus Module	D	TRCIBMBUSAOX10	

Meter Size 100mm


Woltex M**

Description	Type	Meter Specification	
Brass Flostar M Part Number WEG100PP 	Flanged	Flanged Flow rating G Flow Rate Qmin Flow Rate Qt Flow Rate Qn Flow Rate Qmax Index Dials Black+Red Meter Material Output Pulse K1 Cyble Sensor Meter WRAS Approved Mid Compliant	PN16 250mm G 3 m3/h 20 m3/h 100 m3/h 200 m3/h 6+2 Cast Iron 10 Ltr/P Yes No

Options	Part Number		
Meter + EverBlu RF Enhanced	A		Factory Fitted
EverBlu RF Enhanced	B	TRCIBNEBX10	
Cyble Sensor K1	C	T3CIB2K0001	
M-Bus Module	D	TRCIBMBUSAOX10	

Meter Size 125mm


Woltex M**

Description	Type	Meter Specification	
<p>Woltex M</p> <p>Part Number WE125MK250_01PP</p> 	Flanged	<p>Flanged</p> <p>Flow ratio (Q3/Q1)</p> <p>Flow Rate Q1</p> <p>Flow Rate Q2</p> <p>Flow Rate Q3</p> <p>Flow Rate Q4</p> <p>Index Dials Black+Red</p> <p>Meter Material</p> <p>Output Pulse K1 Cyble Sensor</p> <p>Meter WRAS Approved</p> <p>Mid Compliant</p>	<p>PN16 250mm</p> <p>160</p> <p>1.60 m3/h</p> <p>2.53 m3/h</p> <p>160 m3/h</p> <p>200 m3/h</p> <p>6+2</p> <p>Cast Iron</p> <p>10 Ltr/P</p> <p>Yes</p> <p>Yes</p>

Options	Part Number		
Meter + EverBlu RF Enhanced	A		Factory Fitted
EverBlu RF Enhanced	B	TRCIBNEBX10	
Cyble Sensor K1	C	T3CIB2K0001	
M-Bus Module	D	TRCIBMBUSAOX10	

Meter Size 150mm


Woltex M**

Description	Type	Meter Specification	
<p>Brass Flostar M</p> <p>Part Number WEG150PP</p> 	Flanged	<p>Flanged</p> <p>Flow rating G</p> <p>Flow Rate Qmin</p> <p>Flow Rate Qt</p> <p>Flow Rate Qn</p> <p>Flow Rate Qmax</p> <p>Index Dials Black+Red</p> <p>Meter Material</p> <p>Output Pulse K1 Cyble Sensor</p> <p>Meter WRAS Approved</p> <p>Mid Compliant</p>	<p>PN16 300mm</p> <p>G</p> <p>7.50 m3/h</p> <p>50 m3/h</p> <p>250 m3/h</p> <p>500 m3/h</p> <p>7+1</p> <p>Cast Iron</p> <p>100 Ltr/P</p> <p>Yes</p> <p>No</p>

Options	Part Number		
Meter + EverBlu RF Enhanced	A		Factory Fitted
EverBlu RF Enhanced	B	TRCIBNEBX10	
Cyble Sensor K1	C	T3CIB2K0001	
M-Bus Module	D	TRCIBMBUSAOX10	

Meter Size 200mm


Woltex G**

Description	Type	Meter Specification	
<p>Woltex M</p> <p>Part Number WEG200PN16PP</p> 	Flanged	<p>Flanged</p> <p>Flow ratio</p> <p>Flow Rate Qmin</p> <p>Flow Rate Qt</p> <p>Flow Rate Qn</p> <p>Flow Rate Qmaxx</p> <p>Index Dials Black+Red</p> <p>Meter Material</p> <p>Output Pulse K1 Cyble Sensor</p> <p>Meter WRAS Approved</p> <p>Mid Compliant</p>	<p>PN16 350mm</p> <p>Qn</p> <p>12 m3/h</p> <p>80 m3/h</p> <p>400 m3/h</p> <p>800 m3/h</p> <p>7+1</p> <p>Cast Iron</p> <p>10 Ltr/P</p> <p>Yes</p> <p>No</p>

Options	Part Number		
Meter + EverBlu RF Enhanced	A		Factory Fitted
EverBlu RF Enhanced	B	TRCIBNEBX10	
Cyble Sensor K1	C	T3CIB2K0001	
M-Bus Module	D	TRCIBMBUSAOX10	

Meter Size 250mm

Woltex G**

Description	Type	Meter Specification	
<p>Brass Flostar M</p> <p>Part Number WEG250PN16PP</p> 	Flanged	<p>Flanged</p> <p>Flow ratio</p> <p>Flow Rate Qmin</p> <p>Flow Rate Qt</p> <p>Flow Rate Qn</p> <p>Flow Rate Qmaxx</p> <p>Index Dials Black+Red</p> <p>Meter Material</p> <p>Output Pulse K1 Cyble Sensor</p> <p>Meter WRAS Approved</p> <p>Mid Compliant</p>	<p>PN16 450mm</p> <p>Qn</p> <p>18 m3/h</p> <p>120 m3/h</p> <p>600 m3/h</p> <p>1200 m3/h</p> <p>7+1</p> <p>Cast Iron</p> <p>100 Ltr/P</p> <p>Yes</p> <p>No</p>

Options	Part Number		
Meter + EverBlu RF Enhanced	A		Factory Fitted
EverBlu RF Enhanced	B	TRCIBNEBX10	
Cyble Sensor K1	C	T3CIB2K0001	
M-Bus Module	D	TRCIBMBUSAOX10	

Cyble Sensors **

Description	Specification	Part Number
Cyble Sensor K1	2 Wire K1	T3CIB2K0001
Cyble Sensor K10	2 Wire K10	T3CIB2K0010
Cyble Sensor K1	5 Wire K1	T3CIB5K0001E
Cyble EverBlu	EverBlu RF Module	TRCIBNEBX10

Unions **

Description	Specification	Part Number
Union	15mm Union (Single)	RAC15
Union	20mm Union (Single)	RAC20
Union	25mm Union (Single)	RAC25
Union	30mm Union (Single)	RAC30
Union	40mm Union (Single)	RAC40

Woltex M Mechanisms **

Description	Specification	Part Number
Mechanism EN4064	50mm Direct Replacement	MWE50
Mechanism EN4064	65mm Direct Replacement	MWE65
Mechanism EN4064	80mm Direct Replacement	MWE80
Mechanism EN4064	100mm Direct Replacement	MWE100
Mechanism EN4064	150mm Direct Replacement	MWE150
Mechanism EN4064	200mm Direct Replacement	MWE200
Mechanism EN4064	250mm Direct Replacement	MWE250
Mechanism EN4065	250mm Direct Replacement	MWE300

Filters **

Description	Specification	Part Number
Filter	50mm	FIT50
Filter	80mm	FIT88
Filter	100mm	FIT100
Filter	150mm	FIT150
Filter	200mm	FIT200

Straighteners **

Description	Specification	Part Number
Straightener	50mm	STA50
Straightener	80mm	STA88
Straightener	100mm	STA100
Straightener	150mm	STA150
Straightener	200mm	STA200

Washers **

Description	Specification	Part Number
Plastic Washer for Unions	15mm	3836134
Plastic Washer for Unions	20mm	3836285
Plastic Washer for Unions	25mm	3017046
Plastic Washer for Unions	30mm	3104546
Plastic Washer for Unions	40mm	3017066
Plastic Washer for Unions	50mm	3143773

Signal Repeater/Splitter **

Description	Specification	Part Number
Signal Repeater/Splitter	2 x 2 and 1 x 5 wire O/P	SPLT1-3TD09FIVE
Signal Repeater/Splitter	2x2 wire & 1 x EB Pulse O/P	SPLT1-3TD09FIVE-PRF
Signal Repeater/Splitter	1 x 2 wire, 1x EB & 1x Plug O/P	SPLT-FIVEPRF-4PG